

FORM PTO-1390 (Modified) (REV 11-2000)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 09669/021001	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 10/069327	
INTERNATIONAL APPLICATION NO. PCT/FR00/02343		INTERNATIONAL FILING DATE 18 AUG 2000 (18.08.2000)		PRIORITY DATE CLAIMED 24 AUG 1999 (24.08.1999)	
TITLE OF INVENTION DEVICE AND METHOD TO LOAD COMMANDS IN AN INTEGRATED CIRCUIT CARD					
APPLICANT(S) FOR DO/EO/US COHEN SOLAL, Avner and DEH, Remi					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below. 4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31). 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371 (c) (2)) <ol style="list-style-type: none"> a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau). b. <input checked="" type="checkbox"/> has been communicated by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is attached hereto. b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau). b. <input type="checkbox"/> have been communicated by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)) 10. <input type="checkbox"/> An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)). 11. <input type="checkbox"/> A copy of the International Preliminary Examination Report (PCT/IPEA/409). 12. <input checked="" type="checkbox"/> A copy of the International Search Report (PCT/ISA/210). 					
Items 13 to 20 below concern document(s) or information included:					
<ol style="list-style-type: none"> 13. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 14. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 15. <input checked="" type="checkbox"/> A FIRST preliminary amendment. 16. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 17. <input type="checkbox"/> A substitute specification 18. <input type="checkbox"/> A change of power of attorney and/or address letter. 19. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 20. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). 21. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 22. <input checked="" type="checkbox"/> Certificate of Mailing by Express Mail 23. <input checked="" type="checkbox"/> Other items or information: 					
A copy of form PCT/IB/308. A copy of the French Search Report from the priority application. Translation of amended pages 1-3 and 16-18 submitted under Article 34.					
U.S. Express Mail No. EV049243895US					

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.101) <div style="font-size: 1.5em; font-weight: bold;">10/069327</div>		INTERNATIONAL APPLICATION NO <div style="font-weight: bold;">PCT/FR00/02343</div>		ATTORNEY'S DOCKET NUMBER <div style="font-weight: bold;">09669/021001</div>	
--	--	--	--	--	--

24. The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) : <div style="display: flex; justify-content: space-between;"> <div style="width: 80%;"> <input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO <input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) </div> <div style="width: 15%; text-align: right;"> <div style="font-weight: bold;">\$1040.00</div> <div style="font-weight: bold;">\$890.00</div> <div style="font-weight: bold;">\$740.00</div> <div style="font-weight: bold;">\$710.00</div> <div style="font-weight: bold;">\$100.00</div> </div> </div> <div style="text-align: right; font-weight: bold; margin-top: 10px;"> ENTER APPROPRIATE BASIC FEE AMOUNT = </div>				CALCULATIONS PTO USE ONLY	
				\$890.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).				\$0.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	14 - 20 =	0	x \$18.00	\$0.00	
Independent claims	2 - 3 =	0	x \$84.00	\$0.00	
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				\$0.00	
TOTAL OF ABOVE CALCULATIONS =				\$890.00	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27). The fees indicated above are reduced by 1/2.				\$0.00	
SUBTOTAL =				\$890.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).				\$0.00	
TOTAL NATIONAL FEE =				\$890.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input type="checkbox"/>				\$0.00	
TOTAL FEES ENCLOSED =				\$890.00	
				Amount to be: refunded \$ charged \$	

a. ☒ A check in the amount of \$890.00 to cover the above fees is enclosed.

b. ☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees. A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 50-0591 A duplicate copy of this sheet is enclosed.

d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Customer Number: 22,511

ROSENTHAL & OSHA L.L.P.
 1221 McKinney, Suite 2800
 Houston, Texas 77010

Telephone: (713) 228-8600
 Facsimile: (713) 228-8778

Jonathan P. Osha

33,986

February 22, 2002

Applicant : Avner COHEN SOLAL and Rémi DEH Art Unit :
Serial No.: Examiner :
Filed : [Herewith]
Title : DEVICE AND METHOD TO LOAD COMMANDS IN AN INTEGRATED
CIRCUIT CARD

PRELIMINARY AMENDMENT

IN THE TITLE:

IN THE SPECIFICATION:

- IN THE ABSTRACT:

Please delete the phrase “Figure 8” from the bottom of the last paragraph.

IN THE CLAIMS:

Please amend the claims as outlined below. A marked-up version, illustrating the changes, of the claims is attached as Appendix A.

1 – (Amended) A device to load commands of a service in a computer system including at least one server (SERV) and at least one integrated circuit card (CARD) connected together via a network, the said card including a first command execution program (P1) and a first memory (M1), wherein,

firstly, a card (CARD) includes:

- means to search for a sequence block (B) capable of searching on a server (SERV) or in the said memory (M1) a command sequence block specific to a service, for at least one command (CD) of the said block (B) being executed by the first execution program (P1) or transmitted to a subscriber unit (SU) and executed by a second execution program (P2) of this subscriber unit (SU),

and secondly, the said server (SERV) includes:

- means (ML) to load in the card at least one block (B) of a sequence (SEQ) of commands, specific to a service (S).

2 – (Amended) The device according to claim 1, wherein the first memory (M1) is non volatile.

3 – (Amended) The device according to claims 1 or 2, wherein the said card includes a second non volatile memory (M2) including data specific to at least one service.

4 – (Amended) The device according to claim 1, wherein a server (SERV) includes means to back up (MSSEQ1,MSSEQ2) at least one sequence block (B) in the first memory (M1),

5 – (Amended) The device according to claim 1, wherein a server (SERV) includes update means (MU) capable of modifying, erasing, adding, in the first memory (M1) at least one sequence block (B).

6 – (Amended) The device according to claim 1, wherein the first memory (M1) includes a first area (Z1) and a second area (Z2), the first area (Z1) having read and write access

by the server and read access by the card, the second area (Z2) having read and write access by the card.

7 – (Amended) The device according to claim 1, wherein the card (CARD) includes data request means (RD), the said data being sent by a service server.

8 – (Amended) The device according to claim 1, wherein the card includes means of interpreting (MI) command sequence blocks.

9 – (Amended) A method to execute commands in a computer system including at least one server (SERV) and an integrated circuit card (CARD) connected together via a network, the said card including a first command execution program (P1) and a first memory (M1), comprising:

- backing up all or some of the command sequence blocks specific to a service on at least one server (SERV) and the additional part, if any, in the said memory (M1),
- seeking each command sequence block (B) on the server (SERV) or in the memory (M1),
- and, if the sequence block (B) sought is stored on the server (SERV), loading this block from the server (SERV) to the card (CARD) to be executed using the said first program (P1), or using a second program (P2) in a subscriber unit (SU) connected to the said card (CARD).

10 – (Amended) The method according to claim 9, wherein it consists of backing up the said sequence block (B) from the server (SERV) in the memory (M1).

11 – (Amended) The method according to claim 9 or 11, wherein it consists, via update means (MU), of updating in the said first memory (M1), at least one command sequence block (B) specific to a service (S).

12 – (Amended) The method according to claim 9, wherein the search for a sequence block on a server (SERV) consists of transmitting a data request (RD) from the card to a service server.

13 – (Amended) The method according to claim 9, wherein it consists of interpreting in the card at least one command sequence block (B) before its execution.

14 – (Amended) The method according to claim 9, wherein it consists, during the execution of a command (CD) of a sequence block (B) of receiving in the card memory (M1) at least one other command (CD) of the sequence block.


REMARKS

The amendments to the specification and the claims are made to conform to the requirements for patent applications in the United States. No new matter was introduced by such amendments. Favorable consideration of this application is respectfully requested.

Please apply any charges not covered, or any credits, to Deposit Account 50-0591 (Reference Number 09669/021001).

Respectfully submitted,

Date: February 22, 2002


Jonathan P. Osha, Reg. No. 33,986
Rosenthal & Osha L.L.P.
1221 McKinney, Suite 2800
Houston, Texas 77010

Telephone: (713) 228-8600
Facsimile: (713) 228-8778

APPENDIX A – MARKED-UP VERSION OF THE CLAIMS

1 - ~~Device~~ A device to load commands of a service in a computer system including at least one server (SERV) and at least one integrated circuit card (CARD) connected together via a network, the said card including a first command execution program (P1) and a first memory (M1), ~~characterised in that~~ wherein,

firstly, a card (CARD) includes:

- means to search for a sequence block (B) capable of searching on a server (SERV) or in the said memory (M1) a command sequence block specific to a service, for at least one command (CD) of the said block (B) being executed by the first execution program (P1) or transmitted to a subscriber unit (SU) and executed by a second execution program (P2) of this subscriber unit (SU),

and secondly, the said server (SERV) includes:

- means (ML) to load in the card at least one block (B) of a sequence (SEQ) of commands, specific to a service (S).

2 - Device The device according to claim 1, ~~characterised in that~~ wherein the first memory (M1) is non volatile.

3 - Device ~~The device~~ according to claims 1 or 2, ~~characterised in that~~ wherein the said card includes a second non volatile memory (M2) including data specific to at least one service.

4 - ~~Device~~ The device according to claim 1, ~~characterised in that~~ wherein a server (SERV) includes means to back up (MSSEEQ1,MSSEEQ2) at least one sequence block (B) in the first memory (M1),

5 - ~~Device~~ The device according to claim 1, ~~characterised in that~~ wherein a server (SERV) includes update means (MU) capable of modifying, erasing, adding, in the first memory (M1) at least one sequence block (B).

6 - Device The device according to claim 1, ~~characterised in that~~ wherein the first memory (M1) includes a first area (Z1) and a second area (Z2), the first area (Z1) having read and write access by the server and read access by the card, the second area (Z2) having read and write access by the card.

7 - ~~Device~~ The device according to claim 1, ~~characterised in that~~ wherein the card (CARD) includes data request means (RD), the said data being sent by a service server.

8 - ~~Device~~ The device according to claim 1, ~~characterised in that~~ wherein the card includes means of interpreting (MI) command sequence blocks.

9 - ~~Method~~ A method to execute commands in a computer system including at least one server (SERV) and an integrated circuit card (CARD) connected together via a network, the said card including a first command execution program (P1) and a first memory (M1), ~~characterised in that it includes the steps according to which~~ comprising:

- backing up all or some of the command sequence blocks specific to a service ~~are backed up~~ on at least one server (SERV) and the additional part, if any, in the said memory (M1),
- seeking each command sequence block (B) ~~is sought~~ on the server (SERV) or in the memory (M1),
- ~~and in that~~ and, if the sequence block (B) sought is stored on the server (SERV), loading this block ~~is loaded~~ from the server (SERV) to the card (CARD) to be executed using the said first program (P1), or using a second program (P2) in a subscriber unit (SU) connected to the said card (CARD).

10 - ~~Method~~ The method according to claim 9, ~~characterised in that~~ wherein it consists of backing up the said sequence block (B) from the server (SERV) in the memory (M1).

11 - ~~Method~~ The method according to claim 9 or 11, ~~characterised in that~~ wherein it consists, via update means (MU), of updating in the said first memory (M1), at least one command sequence block (B) specific to a service (S).

12 - ~~Method~~ The method according to claim 9, ~~characterised in that~~ wherein the search for a sequence block on a server (SERV) consists of transmitting a data request (RD) from the card to a service server.

13 - ~~Method~~ The method according to claim 9, ~~characterised in that~~ wherein it consists of interpreting in the card at least one command sequence block (B) before its execution.

14 - ~~Method~~ The method according to claim 9, ~~characterised in that~~ wherein it consists, during the execution of a command (CD) of a sequence block (B) of receiving in the card memory (M1) at least one other command (CD) of the sequence block.

**DEVICE AND METHOD TO LOAD COMMANDS IN AN INTEGRATED
CIRCUIT CARD**

This invention concerns a device to load commands from at least one server to at least one integrated circuit card connected to a subscriber unit, the said card including a first command execution program and a first memory. It also concerns a method to load commands of such a device.

5 Such a device applies in particular to the cards including services such as services concerning the fields of health, mobile telephony, or services concerning the banking field.

10 To enable a card user to access a service, the state of the art technology proposes devices which can load in the first memory of the card, a set of commands to the said service, and which can erase or replace the entire service by another service if it should no longer be used, by means of the server. When the user accesses the service, the first execution program executes the service so stored in the card.

15 Although these devices can be used to load all commands specific to a service, all the commands are saved in the first memory of the card including generally several resident services, which may be a problem due to the limited size of the memory in integrated circuit cards. In addition, the time required to load a service is noticeably long. Lastly, if some of the data concerning the service changes, in order to validate the said changes, the entire service must be reloaded, which results in a problem of efficiency in terms of time.

25 Thus, the technical problem to be solved by the present invention is to propose a device to load commands from at least one server to at least one integrated circuit card connected to a subscriber unit, the said card including a first command execution program and a first memory, as well as a method to load such a device, which would, firstly, avoid wasting memory space due to saving in memory all services used and, secondly, reduce the time required to load a service.

The following description made with reference to the accompanying drawings, given as non-limiting examples, makes it easy to understand what the invention consists in and how it can be realised.

Figure 1 is a diagram showing servers and cards of the invention.

5 Figure 2 is a diagram of a server and a card of figure 1.

Figure 3 is a simplified diagram of services used by a user of the card of figure 2.

Figure 4 is a diagram of a command sequence associated with a service of figure 3.

10 Figure 5 is a diagram of a sequence command of figure 4.

Figure 6 is another diagram of a sequence command of figure 4.

Figure 7 represents a first exchange of information between the card and the server of figure 2.

15 Figure 8 represents a second exchange of information between the card and the server of figure 2.

Figure 9 is a more detailed diagram of the card of figure 2.

Figure 10 represents a third exchange of information between the card and the server of figure 2.

20 Figure 11 is a diagram of data of an instruction exchanged between the server and the card of figure 2.

Figure 12 is another diagram showing the instruction of figure 11.

Figure 13 represents a fourth exchange of information between the card and the server of figure 2.

25 Figure 1 shows a device to load commands from one or more servers SERV to one or more integrated circuit cards CARD. The said cards are connected to subscriber units SU. As shown on figure 2, a server SERV includes means of loading ML command sequences SEQ and means of updating MU command sequence blocks. A card CARD includes a first memory M1, a first command execution program P1 and a contact block C

- a length CD_LEN,

- execute a service,
- back up in a variable a result value of a command executed previously,

- terminate the execution of a command sequence,
- jump to another command,
- call another command sequence, etc.

Note that the list of actions is not exhaustive.

5 For example, for a command of the second type whose action is to stop the execution of a sequence block and then of a sequence, the following parameters will be obtained:

- CD_LEN = 10,
- CD_ID = 2,
- 10 - CD_TYPE = EXIT,
- CD_PAR = 1, the output data CD_OUT must be sent to the server SERV.

Depending on the values of the result data CD_RES, preferably, one of the following actions is executed:

- 15 - the link data CD_LINK is used to choose the next command to be executed,
- the command preceding the current command is executed,
- a text is displayed on the screen of the subscriber unit and the command preceding the current command is executed,
- 20 - the service is closed,
- an error message is displayed on the screen of the subscriber unit, and the service is terminated, a termination message is sent to the server SERV.

In a second step, after the first command CD to be executed of
25 sequence block B has been executed, the next command to be executed is searched for, firstly, in the same sequence block B, secondly, in the first memory M1 of the card if the said command is not in the sequence block, and, lastly, as shown on figure 7, via a block request RB sent from the card to the server, if the command CD is neither in the sequence block B, nor in

the first memory M1. This is equivalent to searching for another sequence block, specific to a service, after executing a command in a sequence block. Thus, either the sequence block sought is sent by the server SERV, or the sequence block sought comes from the first memory M1.

5 Preferably, the search in the block B is carried out using its unique identifier CD_ID whereas the search in the first memory M1 is carried out using its unique identifier CD_ID, the identifiers of the current sequence SEQ_ID and of the service S_ID,

10 According to a particular mode of realisation, a block request RB includes the following elements:

- the identifier of the current service S_ID,
- the identifier of the current sequence SEQ_ID,
- a request identifier RB_ID,
- an identifier of the command CD_ID to be executed,
- 15 - general data RB_DATA corresponding to the commands CD previously executed from the last request whatsoever made to the server.

Each item of general data RB_DATA includes the following elements:

- a length of the next data CD_LENDATA,
- 20 - the identifier of the command CD_ID which has been executed,
- result data CD_RES,
- output data CD_OUT.

Preferably, the last data item is TLV format defined in particular in standard GSM 11.14.

25 Thus, the data included in the block request RB provides the server SERV with a means of tracking user actions when using a service S.

In a third step, in response to the block request RB, another block B of the sequence corresponding to the service used is loaded from the server to the card. A sequence block B is loaded in a single operation or several

operations depending on the capacities of the communication protocol used for the data exchanges between the server SERV and the card CARD. The various commands CD of the block sent are then executed as described previously. Of course, this step also applies during the first step, if the first
5 block to be executed in the sequence is not in the card.

Preferably, during a first transmission of commands, a wait message M_WAIT is displayed on the screen of the subscriber unit SU requesting the user to be patient. Preferably, on reception in the card of a command CD to be executed in the sequence block B being loaded, the said command is
10 executed. This avoids having to wait until the sequence block B is completely loaded before executing any command, which could seem long to the said user.

If a sequence block B is sent with a block request identifier RB_ID different from that of the request sent, the commands of this block are not
15 executed and we wait for the correct sequence block B.

If a sequence block B is sent in several operations, during the execution of a command CD in the sequence block, at least one other command of the sequence block B is received in the card, the said command is then saved in a buffer BUFF of the card CARD while waiting to be
20 executed.

If, for example after thirty seconds, no sequence block B is sent in response to a request RB from the card, an error message M_ERROR is displayed on the screen of the subscriber unit SU and the current service S is closed.

25 Lastly, when all sequence blocks have been called, loaded and executed, there are three possibilities:

- start another service,
- the service is not finished,
- the service is finished and no other service is required.

In the first case, start another service using a block request RB described previously. The identifier of the current service S_ID is replaced by the identifier of the new service requested.

In the second case, there are two possible choices:

- 5 - either no interaction data is required to continue the service, then search for the next sequence. The sequence sought is either obtained from the first memory M1, or, the sequence sought is sent by the server SERV if the sequence is not in the said memory M1. In the latter case, a block request RB described previously is sent,
- 10 since the identifier of the command to be executed is not completed. Interaction data is data from a service server such as a bank server. For example, interaction data is a bank account balance.
- or interaction data is required to continue the service. The card CARD includes data request means RD for this purpose, the said
- 15 data being sent by a service server. Then, a data request RD is sent from the card to the server SERV as shown on figure 8.

According to a particular mode of realisation, a data request includes the following elements:

- the identifier of the current service S_ID,
- 20 - a request name RD_NAME,
- a request identifier RD_ID
- general data RD_DATA corresponding to the commands CD previously executed from the last request whatsoever made to the server.

25 For example, we could have a request called SOLDE, which corresponds to a bank account balance. The server SERV of the loading device interacts with at least one service server, in this case a bank server SERVBANK and the said request is transmitted by the server SERV of the loading device to the said bank server SERVBANK. The balance is then sent

- instruction type INS_TYPE,
- length of input data INS_INLEN,
- input data INS_IN.

Preferably, there are two instruction types:

- 5 - the first type INS_TYPE1 is used to manage the card buffer BUFF,
for example an instruction of the first type can be used to send to
the card, a sequence block and/or instruct the card to execute a
sequence block.
- 10 - the second type INS_TYPE2 is used to manage the first memory M1,
for example an instruction of the second type can be used to back
up or update a sequence block specific to a service S.

As can be seen on figure 11, the input data INS_IN1 of the first type
INS_TYPE1 are as follows:

- identifier of the current service S_ID,
- 15 - sequence identifier SEQ_ID,
- request identifier RB_ID or RD_ID,
- type of action ACT_TYPE to be performed,
- identifier of the command CD_ID to be executed first, in the case of
a sequence block B sent,
- 20 - sequence block B to be sent.

Note that other input data can be included in the list given above, such
as data guaranteeing a secured transfer like a data signature for example.

The following actions can be performed:

- execution of the sequence block sent,
- 25 - do not execute sequence block sent,
- back up the sequence block sent in a buffer memory of the card
without erasing the said memory,
- back up the sequence block sent in a buffer memory of the card
with prior erasing of the said memory....

The input data INS_IN2 of the second type INS_TYPE2 are as follows:

- identifier of the targeted service S_ID,
- sequence identifier SEQ_ID,
- type of action ACT_TYPE to be performed,
- parameters depending on the action to be performed ACT_PAR.

The following actions can advantageously be performed:

- erasure of one sequence block and replacement by another,
- addition of another sequence block specific to a service,
- replacement of a set of commands in a sequence block, etc.

Of course, in both cases, the list of actions which can be performed is not limiting.

On reception of an instruction INS in the card, the said instruction is interpreted in the card and the associated actions are executed.

Note that, in the field of mobile telephony, preferably, in order to remain compatible with the existing subscriber units SU and cards CARD on the market, an instruction or a request is sent, by radio, using a communication protocol based on a standardised short message service commonly called SMS. For the other fields, the same protocol can be used or any other known protocol of the state of the art.

However, it is not always possible to send an entire instruction or request in a short message due to the limited capacities of the said short messages. Consequently, as shown on figure 12, an instruction INS is frequently sent using several short messages SMS. Thus, an instruction INS is divided and sent in sections S_INS. The same applies for a request. A short message includes a user location USERDATA in which a section S_INS of instruction is placed. To use the said user location to the full, no space is left free. Thus, a sequence block B included in an instruction INS includes all or part of a command depending on the division into sections of the said instruction INS.

Similarly, commands, such as those executed by the second program P2 of the subscriber unit SU, like for example a command to display text on the screen seen previously, are compatible with the commands defined in the standard GSM11.14, also called SIMTOOLKIT commands, so that they are understandable by the standard subscriber units. Thus, the card must include means of transcribing MT a command to a SIMTOOLKIT command.

This invention applies in particular to Internet type services. As can be seen on figure 13, an Internet service server SERVWEB includes Internet services represented by Web pages WEBPAGE encoded in a known language such as the HTML or WML languages. By a standard communication network NET, a server SERV of the command loading device according to the invention, communicates with the Internet server. In the loading server, the Internet service is accessed using Web pages transmitted by the communication network. The server SERV of the device of the invention includes means of transcribing MTWEB a Web page into sequences SEQ of commands described previously. In order to allow a given user to access the Internet services, according to the user's requirements, the sequence blocks B so transcribed are simply loaded into the user's card CARD as seen previously. The user can therefore access the Internet service INTERNET via the screen SCR of his subscriber unit. Of course, to answer a request from the card, the Internet server must be accessed. The server SERV of the device of the invention therefore has means of interrogating MA the Internet server to obtain the data required for the said request.

Of course, the scope of the invention is in no way limited to the mode of realisation described and can be extended to other modes of realisation in which, in particular, the loading device is equipped with additional means intended to guarantee complete security of the data exchanged.

CLAIMS

1 - Device to load commands from at least one server (SERV) to at least one integrated circuit card (CARD) connected to a subscriber unit (SU), the said card including a first command execution program (P1) and a first memory (M1), characterised in that, firstly, the said server (SERV) includes:

- means to load (ML) in the card at least one block (B) of a command sequence (SEQ), specific to a service (S), at least one command (CD) of the said block (B) being executed by the first execution program (P1) or transmitted to the subscriber unit (SU) and executed by a second execution program (P2),
- means to back up (MS) at least one sequence block (B) in the first memory (M1),
- update means (MU) capable of modifying, erasing, adding, in the first memory (M1), at least one sequence block (B),

and, secondly, the card (CARD) includes:

- means to search for a sequence block (B) capable of searching for a sequence block specific to a service, after executing a command (CD) in a block (B).

2 - Device according to claim 1, characterised in that the first memory (M1) is non volatile.

3 - Device according to claims 1 or 2, characterised in that the said card includes a second non volatile memory (M2) including data specific to at least one service.

4 - Device according to one of the previous claims, characterised in that the sequence block (B) sought is sent by the server (SERV).

5 - Device according to any of the previous claims, characterised in that the sequence block (B) sought is from the first memory (M1).

6 - Device according to any of the previous claims, characterised in that the first memory (M1) includes first and second areas, the first area (Z1) having read and write access by the server and read access by the card, the second area (Z2) having read and write access by the card.

7 - Device according to any of the previous claims, characterised in that the card (CARD) includes data request means (RD), the said data being sent by a service server.

8 - Device according to any of the previous claims, characterised in that the card includes means of interpreting (MI) command sequence blocks.

9 - Method of loading commands from at least one server (SERV) to at least one integrated circuit card (CARD) connected to a subscriber unit (SU), the said card including a first command execution program (P1) and a first memory (M1), characterised in that it includes steps according to which:

- at least one block (B) of a command sequence (SEQ), specific to a service (S), is loaded from the server to the card,
- at least one command (CD) of the said block (B) is executed using a first execution program (P1) or transmitted to the subscriber unit and executed using a second execution program (P2).
- at least one sequence block (B) is backed up in the first memory (M1).

10 - Method according to claim 9, characterised in that it includes an additional step according to which:

- another sequence block (B), specific to a service, is sought after executing a command (CD) in a sequence block (B).

11 - Method according to claim 10, characterised in that the sequence block (B) sought is sent by the server (SERV).

12 - Method according to claim 10, characterised in that the sequence block (B) sought is from the first memory (M1).

13 - Method according to any of claims 9 or 12, characterised in that it includes an additional step according to which:

- 5 - in the said first memory (M1), at least one command sequence block (B) specific to a service (S) is updated.

14 - Method according to any of claims 9 to 13, characterised in that the first memory (M1) is non volatile.

10 **15** - Method according to any of claims 9 to 14, characterised in that the said card (CARD) includes a second non volatile memory (M2) including data specific to at least one service.

15 **16** - Method according to any of claims 9 to 15, characterised in that the first memory (M1) includes first and second areas, the first area (Z1) having read and write access by the server and read access by the card, the second area (Z2) having read and write access by the card.

17 - Method according to any of claims 9 to 16, characterised in that it includes an additional step according to which:

- a data request (RD) is sent from the card to a service server.

20 **18** - Method according to any of claims 9 to 17, characterised in that it includes an additional step according to which:

- at least one command sequence block (B) is interpreted in the card.

19 - Method according to any of claims 9 to 18, characterised in that it includes an additional step according to which:

- 25 - on reception in the card of a command (CD) to be executed in a sequence block (B) being loaded, the said command is executed.

20 - Method according to any of claims 9 to 19, characterised in that it includes an additional step according to which:

- during the execution of a command (CD) in a sequence block (B), at least one other command (CD) in the sequence block is received in the card.

$$\begin{aligned} & \frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} = 0 \\ & \frac{\partial u}{\partial x} = 0, \quad \frac{\partial v}{\partial y} = 0 \\ & u = 0, \quad v = 0 \end{aligned}$$

- means to load in the card at least one command sequence

- and, secondly, the card includes:

means to search for a sequence block capable of searching for a

#4

Please type a plus sign (+) inside this box → ☐

PTO/SB/81 (02-01)

Approved for use through 10/31/2002 OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

Application Number	10/069, 327
Filing Date	February 22, 2002
First Named Inventor	Rémi DEH
Title	Device and Method to ...
Group Art Unit	
Examiner Name	
Attorney Docket Number	09669/021001

I hereby appoint:

☒ Practitioners at Customer Number

OR

☐ Practitioner(s) named below:



22511

PATENT TRADEMARK OFFICE

Place Customer
Number Bar Code
Label here

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☐ The above-mentioned Customer Number.

OR

☒ Practitioners at Customer Number

OR

Place Customer
Number Bar Code
Label here

☐ Firm or
Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

SIGNATURE of Applicant or Assignee of Record

Name

Rémi DEH

Signature

[Handwritten Signature]

Date

03/05/2002 (MAY 30 2002)

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☐ *Total of _____ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/81 (02-01)

Approved for use through 10/31/2002 OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

Application Number	10/069,327
Filing Date	February 22, 2002
First Named Inventor	Rémi DEH
Title	Device and Method to ...
Group Art Unit	
Examiner Name	
Attorney Docket Number	09669/021001

I hereby appoint:

☒ Practitioners at Customer Number

OR

☐ Practitioner(s) named below:



22511

Place Customer
Number Bar Code
Label here

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☐ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number

Place Customer
Number Bar Code
Label here

☐ Firm or
Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

SIGNATURE of Applicant or Assignee of Record

Name

Avner COHEN SOLAL

Signature

Date

7/5/2002

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☐ *Total of _____ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

<p align="center">DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)</p> <p> <input type="checkbox"/> Declaration Submitted with Initial Filing OR <input checked="" type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required) </p>		Attorney Docket Number		09669/021001	
		First Named Inventor		R��mi DEH	
		COMPLETE IF KNOWN			
		Application Number		10 / 069, 327	
		Filing Date		February 22, 2002	
		Group Art Unit			
		Examiner Name			

As a below named inventor, I hereby declare that:

My residence, mailing address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: _____

DEVICE AND METHOD TO LOAD COMMANDS IN AN INTEGRATED CIRCUIT CARD.

(Title of the Invention)

the specification of which

☐ is attached hereto

OR

☐ was filed on (MM/DD/YYYY)

02/ 22/ 2002

as United States Application Number or PCT International

Application Number	10/069,327	and was amended on (MM/DD/YYYY)	(if applicable).
--------------------	------------	---------------------------------	------------------

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or (f), or 365(b) of any foreign application(s) for patent, inventor's or plant breeder's rights certificate(s), or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent, inventor's or plant breeder's rights certificate(s), or any PCT international application having a filing date before that of the application on which priority is claimed.


Prior Foreign Application Number(s)		Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
					YES	NO
99/10747		France	08/ 24/ 1999	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

[Page 1 of 2]



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

Direct all correspondence to: <input checked="checked" type="checkbox"/>		Customer Number or Bar Code Label				OR <input type="checkbox"/> Correspondence address below	
<div style="font-size: 24pt; font-weight: bold; margin: 0;">22511</div> <div style="font-size: 10pt; margin: 0;">PATENT TRADEMARK OFFICE</div>							
Name							
Address							
City				State		ZIP	
Country			Telephone			Fax	
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.							
NAME OF SOLE OR FIRST INVENTOR :				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Rémi				DEH			
Inventor's Signature						03/05/2002 Date (MM/DD/YY)	
Residence: City		Paris		State		Country	
		FR		France		French	
Mailing Address							
50, Avenue Jean Jaurès – B.P. 620-12							
City		Montrouge Cedex		State		ZIP	
				92542		France	
NAME OF SECOND INVENTOR :				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Avner				COHEN SOLAL			
Inventor's Signature						Date	
Residence: City		Paris		State		Country	
				France		French	
Mailing Address							
50, avenue Jean Jaurès – B.P. 620-12							
City		Montrouge Cedex		State		ZIP	
				92542		France	
<input type="checkbox"/> Additional inventors are being named on the ____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.							

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

Direct all correspondence to: <input checked="" type="checkbox"/>		Customer Number or Bar Code Label				OR <input type="checkbox"/>		Correspondence address below	
<div style="font-size: 24pt; font-weight: bold; margin: 0;">22511</div> <div style="font-size: 10pt; margin: 0;">PATENT TRADEMARK OFFICE</div>									
Name									
Address									
City					State		ZIP		
Country				Telephone			Fax		
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.									
NAME OF SOLE OR FIRST INVENTOR :				<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle [if any])					Family Name or Surname				
Rémi					DEH				
Inventor's Signature					Date				
Residence: City			Paris		State		Country		Citizenship
							France		French
50, Avenue Jean Jaurès – B.P. 620-12									
Mailing Address									
City			Montrouge Cedex		State		ZIP		Country
							92542		France
NAME OF SECOND INVENTOR:				<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle [if any])					Family Name or Surname				
Avner					COHEN SOLAL				
Inventor's Signature					Date				
					3/5/2002				
Residence: City			Paris		State		Country		Citizenship
			FRX				France		French
50, avenue Jean Jaurès – B.P. 620-12									
Mailing Address									
City			Montrouge Cedex		State		ZIP		Country
							92542		France
<input type="checkbox"/> Additional inventors are being named on the ____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.									